

Neop | 600 x 400 nursing trolleys

Care management

- Robustness: excellent resistance, one-piece structure made of steel (height 80 cm) and of aluminium (height 100 and 120 cm)
- 100 % hygiene: designed with a minimum of retention zones, and resistant to disinfecting products of hospital environment
- Lightweight
- Ergonomic and handy: designed for medical staff comfort
- Modular: wide range of drawers and accessories
- Customizable: ward name identification



Robust



Hygienic



Ergonomic



Customizable

- Single-column trolley
- 3 heights: 80, 100 or 120 cm
- Roller shutter door or door wing
- Code lock in option
- 2 available inside panel models (slides) according to internal fittings

EasyMoove® option: trolley motorization

Customizable structure

4 available colours

Magenta Pink

Apple Green

Sky Blue

Orange



Standard configurations - PREMIUM

Structure WITH internal fittings and peripheral accessories.
Remember to add the color reference of the trolley.

Trolleys height 80 cm

4 JOINT DRAWERS WITH CLOSURE

600 x 400 nursing trolley H80 equipped with:

- Compact upper shelf
- Roller shutter door
- Code lock
- 1 drawer 600 x 400 height 75 mm
- 1 drawer 600 x 400 height 115 mm
- 1 drawer 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm

Reference

8YCAM164H80_R3



Trolleys height 100 cm

JOINT DRAWERS WITHOUT CLOSURE


1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 1 drawer 600 x 400 height 75 mm
- 3 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom right, bottom left)

Reference

8YS64H100TJ7



JOINT DRAWERS WITHOUT CLOSURE + ACC.

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 1 drawer 600 x 400 height 75 mm
- 3 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TJ4SF



JOINT DRAWERS WITHOUT CLOSURE + 2 RAILS

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 drawer 600 x 400 height 75 mm
- 3 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TJ4



JOINT DRAWERS WITH CLOSURE + 3 RAILS

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 drawer 600 x 400 height 75 mm
- 3 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 3 rails (top right, bottom right, bottom left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TJ1



JOINT DRAWERS WITH CLOSURE + 2 RAILS


1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 drawer 600 x 400 height 75 mm
- 3 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom left, bottom right)

Reference

8YS64H100TJ8



JOINT DRAWERS WITHOUT CLOSURE


3 small / 2 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 3 drawers 600 x 400 height 75 mm
- 2 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TJ5SF



JOINT DRAWERS WITH CLOSURE + 2 RAILS


3 small / 2 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 3 drawers 600 x 400 height 75 mm
- 2 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TJ5



JOINT DRAWERS WITH CLOSURE + 3 RAILS

3 small / 2 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 3 drawers 600 x 400 height 75 mm
- 2 drawers 600 x 400 height 155 mm
- 1 drawer 600 x 400 height 235 mm
- 3 rails (top right, bottom left, middle left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TJ2



JOINT DRAWERS WITH CLOSURE + 2 RAILS

4 medium / 2 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 4 drawers 600 x 400 height 115 mm
- 2 drawers 600 x 400 height 155 mm
- 2 rails (top right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TJ6



JOINT DRAWERS WITH CLOSURE + 3 RAILS

4 medium / 2 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 4 drawers 600 x 400 height 115 mm
- 2 drawers 600 x 400 height 155 mm
- 3 rails (top right, bottom right, bottom left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TJ3



TELESCOPIC DRAWERS WITHOUT CLOSURE

5 medium

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 5 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TT6SF



TELESCOPIC DRAWERS WITH CLOSURE + 2 RAILS

5 medium

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 5 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 2 rails (down right and middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TT6



TELESCOPIC DRAWERS WITH CLOSURE + 3 RAILS

5 medium

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 5 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 3 rails (top right, down right, down left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TT1



TELESCOPIC DRAWERS WITHOUT CLOSURE

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 1 telescopic drawer H. 80 mm with ISO tray H. 50 mm
- 3 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm

Reference

8YS64H100TT7



TELESCOPIC DRAWERS WITHOUT CLOSURE + 2 RAILS

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- 1 telescopic drawer H. 80 mm with ISO tray H. 50 mm
- 3 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 2 rails (down right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TT4SF



TELESCOPIC DRAWERS WITH CLOSURE + 2 RAILS


1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 telescopic drawer H. 80 mm with ISO tray H. 50 mm
- 3 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 2 rails (down right, middle left)

Reference

8YS64H100TT7_R1



TELESCOPIC DRAWERS WITH CLOSURE + 2 RAILS + ACC.

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 telescopic drawer H. 80 mm with ISO tray H. 50 mm
- 3 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 2 rails (down right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TT4



TELESCOPIC DRAWERS WITH CLOSURE + 3 RAILS

1 small / 3 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 1 telescopic drawer H. 80 mm with ISO tray H. 50 mm
- 3 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 3 rails (top right, bottom right, bottom left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TT2



TELESCOPIC DRAWERS WITH CLOSURE + 2 RAILS

3 small / 2 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 3 telescopic drawers H. 80 mm with ISO tray H. 50 mm
- 2 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 2 rails (bottom right, middle left)
- 1 standard support for sharp container
- 1 bag holder

Reference

8YS64H100TT5



TELESCOPIC DRAWERS WITH CLOSURE + 3 RAILS

3 small / 2 medium / 1 large

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 3 telescopic drawers H. 80 mm with ISO tray H. 50 mm
- 2 telescopic drawers H. 160 mm with ISO tray H. 100 mm
- 1 telescopic drawer H. 240 mm with ISO tray H. 200 mm
- 3 rails (top right, bottom right, bottom left)
- 1 standard support for sharp container
- 2 bag holders
- 1 large side basket

Reference

8YS64H100TT3



Standard configurations – BASIC

Structure WITHOUT internal fittings or peripheral accessories.
Remember to add the color reference of the trolley.

Trolleys height 80 cm

Reference	Description
8YCHM164H80FBC	NEOP Basic 600x400 H80 nursing trolley + thermoplastic upper shelf + door wing + code lock + standard inside panels (40 mm level)
8YCHM164H80CFBC	NEOP Basic 600x400 H80 nursing trolley + compact upper shelf + door wing + code lock + standard inside panels (40 mm level)


Trolleys height 100 cm

TROLLEY WITH COMPACT LAMINATE UPPER SHELF

600 x 400 nursing trolley H100 equipped with:

- Compact upper shelf
- Door wing
- Code lock

Reference	Description
8YCHM164H100CFBC	NEOP Basic 600x400 H100 nursing trolley + compact upper shelf + door wing + code lock + standard inside panels (40 mm level)




TROLLEY WITH THERMOPLASTIC UPPER SHELF

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 3 rails (top right, bottom right, bottom left)

Reference	Description
8YCHS164H100	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + standard inside panels (40 mm level)
8YCHST164H100	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + inside panels for telescopic drawers




TROLLEY WITH ERGONOMIC HANDLE

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- Standard inside panels (40 mm level)
- 1 ergonomic handle
- 3 rails (middle left, bottom left, bottom right)

Reference	Description
8YCHM164H100_BCP	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + 3 rails + ergonomic handle + standard inside panels (40 mm level)



TROLLEY WITH SLIDING SHELF

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 2 rails (bottom right, bottom left)
- 1 sliding extension shelf



Reference	Description
8YCHS164H100TC	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + sliding shelf + standard inside panels (40 mm level)
8YCHST164H100TC	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + sliding shelf + inside panels for telescopic drawers

TROLLEY WITH FOLDABLE EXTENSION SHELF

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- 2 rails (bottom right, bottom left)
- 1 foldable extension shelf




Reference	Description
8YCHS164H100T	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + foldable shelf + standard inside panels (40 mm level)
8YCHST164H100T	NEOP Basic 600x400 H100 nursing trolley + door wing + code lock + foldable shelf + inside panels for telescopic drawers

TROLLEY WITH EASYMOOVE® MOTORIZATION OPTION

600 x 400 nursing trolley H100 equipped with:

- Thermoplastic upper shelf
- Door wing
- Code lock
- Standard inside panels (40 mm level)
- 3 rails (middle left, bottom left, bottom right)
- Motorization system



Reference	Description
8YCHM164H100_BCM	NEOP Basic 600x400 H100 nursing trolley with motorization option + door wing + code lock + 3 rails + standard inside panels (40 mm level)

Custom configurations

STEP 1 - Trolley structure

This reference includes structure, wheels and inside panels.

	Trolley height 80 cm*	Trolley height 100 cm*	Trolley height 120 cm*
Standard inside panels for standard drawers (40 mm level)	8Y164H80P4	8Y164H100P4	8Y164H120P4
Inside panels for telescopic drawers	-	8Y164H100T	8Y164H120T
Inside panels for « Adhesia Equipments » pill dispensers (40 mm level)	-	8Y164H100W	8Y164H120W

STEP 2 - Trolley customization

		Trolley height 80 cm*	Trolley height 100 cm*	Trolley height 120 cm*
1	Upper shelf	Thermoplastic shelf with cutout	8Y001_6400TH	
		Thermoplastic shelf with cutout compatible with sliding shelf	-	8Y001_6400TC
		Thermoplastic shelf without cutout	8Y001_6400THSP	
		Thermoplastic shelf without cutout compatible with sliding shelf	-	8Y001_6400TCSP
		Compact laminate shelf with cutout	8Y001_6400CP1	
2	Closing system	Manual curtain door	8Y002_6008F3	8Y002_6010F3
		Door wing for telescopic drawers	-	8Y002_0010F2
		Door wing for standard dividers	8Y002_0008F1	8Y002_0010F1
3	Code lock	For curtain door	8Y003CODE3	
		For door wing and telescopic drawers	8Y003CODE2	
		For door wing and standard dividers	8Y003CODE1	
4	Colour	Magenta pink 	8Y004_0008RM	8Y004_0010RM
		Apple green 	8Y004_0008VP	8Y004_0010VP
		Sky blue 	8Y004_0008BC	8Y004_0010BC
		Orange 	8Y004_0008OR	8Y004_0010OR
5	Specific marking	8Y132		
6	EasyMoove® trolley motorization	-	9R002_L01	9R002_L01

BE CAREFUL ! The end stop ref. 8Y014 is mandatory for a trolley with standard inside panels without a closure or with a door wing.

*For precise height of working surface, see "technical data".


Options, accessories and internal fittings

EasyMoove® trolley motorization

- 100% motorized driving
- Limits pushing efforts for users
- Reduces the risk of musculoskeletal disorders



Extension shelf, ergonomic handle, IT support, upper frame, drawers...



Technical data

Trolley with thermoformed plastic top shelf

Overall dimensions of the trolley



Useful dimensions of the worktop



Ergonomic gripping area

Worktop height

H. 120 : 1297 mm
H. 100 : 1057 mm
H. 80 : 897 mm

Trolley with compact laminate top shelf

Overall dimensions of the trolley



Useful dimensions of the worktop



Worktop height

H. 120 : 1304 mm
H. 100 : 1064 mm
H. 80 : 904 mm

The overall dimensions are taken with the wheels in the least bulky position.
The depth includes a lock by default.

Materials

Structure	20/10th complete welded one-piece structure, Epoxy anti-corrosion treated H 80: Steel (electro-galvanized) / H 100: Aluminium / H 120: Aluminium
Work surface	Thermoplastic: ABS / PMMA OR compact laminate th.. 10 mm
Slides	ABS (Acrylonitrile Butadiene Styrene) or ballbearing slide made of galvanized steel with shock absorber
Closing system	Roller shutter door: PP (Polypropylene), 2 mm thickness Door wing: Epoxy coated steel
Wheels	Simple non marking rubber wheels - Polyamide cover (PA)
Bumpers	4 non marking round stop blocks made of EVA (Ethylene Vinyl Acetate)
Strip of colour	70 micron calendered PVC vinyl film, with acrylic adhesive

Additional information

Wheels	125 mm diameter - 2 breaking wheels + 2 swivelling wheels - wheel and wheel-pin double blocking		
Empty weight	H. 80 : 27 kg	H. 100 : 26,5 kg	H. 120 : 28,8 kg
Capacity	H 80 with standard dividers (40mm): - 15 levels of 40 mm for trolley with roller shutter door - 16 levels of 40 mm for trolley without roller shutter door	H 100 with standard dividers (40 mm): - 19 levels for trolley with roller shutter - 20 levels without roller shutter door H 100 with dividers at optimized size (62 mm): - 11 levels without roller shutter door - 12 levels without roller shutter door H 100 with walls for drawers telescopic: 10 drawers H 80 mm	H 120 with standard dividers (40mm): - 25 levels for trolley with roller - 26 levels for trolley without roller shutter door H 120 with walls for drawers telescopic: 13 drawers H 80 mm
Locking system	Code lock (with spare key) in option		

Packaging

Packing	Individually on pallet strapped and film-wrapped, or on wheels, with proper protection
Gross weight (trolley + packaging)	H 80 : 39 kg H 100 : 38,5 kg H 120 : 40,8 kg
Dimensions	H. 80 : L. 0,80 x P. 1,20 x H. 1,20 m H. 100 : L. 0,80 x P. 1,20 x H. 1,45 m H. 120 : L. 0,80 x P. 1,20 x H. 1,60 m
Volume	1,15 m ³